

GMA

Notice of Allowability	Applicant No.	Applicant(s)
	09/941,195	GORMAN, ATARBES K.
	Examiner Mohamed Charioui	Art Unit 2857

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to 6/01/04.
2. The allowed claim(s) is/are 1-8, 15-21 and 26-31, renumbered.
3. The drawings filed on 28 August 2001 are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

1. Applicant cancelled claims 9-14 and 22-25.

Allowable Subject Matter

2. **Claims 1-8, 15-21 and 26-31** are allowed.
3. **Claims 1-8, 15-21 and 26-31** are renumbered.
4. The following is an examiner's statement of reasons for allowance:

Regarding claims 1-8 and 26, none of the prior art of record teaches or suggests a JMX monitor object adapted to monitor the time varying signal and return appropriate testing values and a notifier software object adapted to generate a notification in response to the monitoring of said time varying signal by the JMX monitor object, in combination with the rest of the claim limitations.

Regarding claims 15-21 and 27, none of the prior art of record teaches or suggests polling the generator software object at a frequency at least twice the frequency of the generated time varying signal using a monitor object of the JMX monitor and returning a testing value for each polling of the generator software object, in combination with the rest of the claim limitations.

Regarding claims 28 and 29, none of the prior art of record teaches or suggests a notifier software object adapted to generate a notification in response to the monitoring of the time varying unorthodox signal by the JMX monitor object, in combination with the rest of the claim limitations.

Regarding claims 30 and 31, none of the prior art of record teaches or suggests polling the generator software object at a frequency at least twice the frequency of the generated time varying unorthodox signal using a monitor object

of the JMX monitor and returning a testing value for each polling of the generator software object, in combination with the rest of the claim limitations.

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact information

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mohamed Charioui whose telephone number is (571) 272-2213. The examiner can normally be reached Monday through Friday, from 9 am to 6 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marc S Hoff can be reached on (571) 272-2216. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).